

Diary for monitoring adult patients with severe asthma undergoing home treatment with biologics





Institutional collaboration:



With the collaboration of:



© 2021 SEAIC & GSK

To be filled in by the healthcare professional

Identification

This diary should only be issued to **patients with severe asthma** receiving home treatment with biologics.

| Diary Issue Date: | |
|----------------------|---|
| Drug | |
| Dose, No. of Inject | etions and Frequency of administration |
| NOTE: Please write d | own any increase or change of dose, as applicable. |
| If you have any q | uestions about topics related to ASTHMA or TREATMENT EFFECTS, please contact |
| Healthcare Profe | ssional of Reference |
| Through | |
| | questions about topics related to MEDICATION (delivery, storage, expiration or method of please contact |
| Hospital Pharma | су |
| Through | |

Considerations to bear in mind...





- Store the medication in the fridge (between 2°C and 8°C) to maintain the COLD CHAIN.
- Your medication can remain outside the fridge for up to



- **DO NOT** freeze the medication.
- **DO NOT** use the medication if the liquid has frozen or looks cloudy.



Keep the medication in its original packaging to protect it from light.



- DO NOT use the medication if it has EXPIRED.
- Return any expired medication to the Pharmacy Service.



- DO NOT use the prefilled pen or syringe if it looks broken or damaged.
- **DO NOT** share the prefilled pen or syringe with others.
- DO NOT attempt a SECOND INJECTION with the same prefilled pen or syringe.

IF IN DOUBT, PLEASE CONSSIONS
NOUNE HEALTHCARE PROFESSIONS
YOUR HEALTHCARE PROFESSIONS

© 2021 SEAIC & GSK

Tip





IMPORTANT



- Inform your healthcare professional of reference at the healthcare centre/hospital if:
 - » You forget to take a dose.
 - you have a respiratory infection (e.g., the flu, a cold or other) and/or are taking a different medication than usual.
 - » The pen/syringe or liquid content appears to be in bad condition.
 - You are not sure if the cold chain has been maintained.

REMEMBER TO REFER TO THE SPECIFIC INFORMATION IN THE PACKAGE INSERT INCLUDED IN EACH CONTAINER

The information in this diary does not replace the information that appears on the packaging or information provided by healthcare professionals.

What adverse events can this medication cause?

MILD/MODERATE adverse events

- The most common adverse events are skin reactions at the injection-site such as:
 - » Pain.
 - » Itchiness.
 - » Redness or swelling in the injection area.
- These adverse events are mild and do not usually require any further action.
- Other possible mild/moderate adverse events include:
 - » Fever and/or headache.
 - » Muscle or joint pain.

SERIOUS adverse events

- The main serious adverse events are **severe allergic reactions**.
- A severe allergic reaction may include the following symptoms:
 - » Swelling of the face, lips, tongue, throat or other parts of the body.
 - » Breathing difficulty.
 - » Loss of consciousness.
 - » Intense itching sensation in different parts of the body.
 - » Sudden and intense vomiting or diarrhoea.

IF YOU OBSERVE ANY OF THESE SYMPTOMS,
SEEK MEDICAL ATTENTION IMMEDIATELY.

IF IN DOUBT, PIEASE CORESSION OF REFERENCE

© 2021 SEAIC & GSK

Before starting the injection...



Check your prefilled pen or syringe and follow the specific instructions on the packaging of your medication and/ or the instructions given to you by your attending healthcare professional. Remove the prefilled pen/syringe from the fridge

30-45 minutes before administration.


Have the following material ready before starting the injection: an alcohol wipe, cotton or gauze and a container for disposing of sharp objects.

Where to administer the medication

IMPORTANT



- Remember that IT MUST NOT BE INJECTED:
- » In areas where the skin is soft, hard or peeling.
- » In areas with wounds, burns, scars or tattoos.
- » **DO NOT** inject it through your clothes.
- IT MAY BE INJECTED IN THE AREAS SHOWN IN THE DRAWING.
- If you need more than one injection to complete your dose, choose another area out of those shown in the drawing.



How to administer the medication

- · First, wash your hands with soap and water.
- Clean the area where it is to be injected with a cotton swab/wipe soaked in alcohol and allow it to dry.
- Do not touch the area until the injection has been administered.
- Follow the step-by-step instructions on the package insert of your medication on how to handle your pen or syringe and how to start and finish administration.
- Gently pinch the skin at the site of administration and insert the injection device at the suitable angle.
- The administration process may take several seconds.
- If after administering it you observe a drop of blood, press down lightly on the area with a gauze/cotton swab soaked in alcohol.



If you are using a syringe...



If you are using a pen...



Do not rub the area where the medication has been administered

How to dispose of the pen/syringe

- Place the used prefilled pen or syringe and the uncapped needle in a sharps disposal container immediately after use.
- If you do not have a container, use sturdy plastic receptacle with a lid that can be closed tightly.
- The container should be labelled to show that it
- contains hazardous material and should be kept out of the reach of others.
- Deliver the container to the Hospital Pharmacy Service.




IF IN DOUBT, PLEASE CONSESSION
WE NOW HEALTHCARE PROPESSION
YOUR HEALTHCARE PREFERENCE

© 2021 SEAIC & GSK

J Investig Allergol Clin Immunol 2022; Vol. 32(6): 482-484 doi: 10.18176/jiaci.0786

© 2022 Esmon Publicidad

CTTM). Add up your total score and record the result in the table at the bottom of this page. Completely Controlled None of the time Not at all Not at all Not at all st tightness or pain) wake you up at night or earlier than usual in the morning? fects how you feel and what you are able to do. Once or twice a week Once a week or less A little of the time Well Controlled Once or Twice outerol, Ventolin®, Proventil®, or Maxair®)? chool or at home? at Controlled nes per week mes a week of the time a week



| _ |
|---|
| |

| | | | | | • | | | | |
|---|--|-----------------------|---|--|----------------|------------------------------|-----------------------------------|-------------------------|--|
| | /-/- | _/_/_ | _/_/_ | _/_/_ | _/_/_ | _/_/_ | _/_/_ | _/_/_ | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Image: Companient of the man be submitted via the www.notificaRAM.es website or via the marketing authorisation holder. | | | | | | | | | |
| nedical attention immediately. N-H [Spanish Pharmacovigilance System for Medicinal Products for Human Use], as provided for by Royal can be submitted via the www.notificaRAM.es website or via the marketing authorisation holder. | | | | | | | | | |
| nedical attention immediately. -V-H [Spanish Pharmacovigilance System for Medicinal Products for Human Use], as provided for by Royal to can be submitted via the www.notificaRAM.es website or via the marketing authorisation holder. | | | | | | | | | |
| nedical attention immediately. -V-H [Spanish Pharmacovigilance System for Medicinal Products for Human Use], as provided for by Royal : can be submitted via the www.notificaRAM.es website or via the marketing authorisation holder. | | | | | | | | | |
| nedical attention immediately. -V-H [Spanish Pharmacovigilance System for Medicinal Products for Human Use], as provided for by Royal t can be submitted via the www.notificaRAM.es website or via the marketing authorisation holder. | | | | | | | | | |
| | nedica FV-H [Span t can be su | attentionish Pharmaco | n immedi wigilance Syst ie www.notifica | iately. em for Medici aRAM.es web: | nal Products · | for Human Us marketing au | e], as provided thorisation ho | d for by Royal Ider. | |

| _/_/_ | | | | | | | | | |
|-------|--|--|--|--|--|--|--|--|--|
| _/_/_ | | | | | | | | | |
| _/_/_ | | | | | | | | | |
| _/_/_ | | | | | | | | | |
| _/_/_ | | | | | | | | | |
| _/_/_ | | | | | | | | | |
| _/_/_ | | | | | | | | | |
| _/_/_ | | | | | | | | | |

the appropriate boxes.





