

SUPPLEMENTARY MATERIAL

Table S1. Results of skin test with liraglutide and semaglutide (patch test, SPT, IDT).

Patient	Gender	Age (year)	Drug	Clinical symptoms	Diagnostic tests							
					Liraglutide				Semaglutide			
					Patch test	SPT	IDT	Challenge test (SC)	Patch test	SPT	IDT	Challenge test (SC)
#1	Women	29	Liraglutide - SC	Late local maculopapular reaction	Negative	Negative	Negative	N.P.	Negative	Negative	Negative	Negative
#2	Women	57	Liraglutide - SC	Late local maculopapular reaction	N.P.	Negative	Positive at the delayed 24-hour reading (at 1/10 and 1/1 concentrations)	N.P.	N.P.	Negative	Negative	Negative
#3	Women	52	Liraglutide - SC	Late local maculopapular reaction	Negative	Negative	Positive at the delayed 24-hour reading (at 1/10 and 1/1 concentrations)	N.P.	Negative	Negative	Negative	Negative
#4	Women	43	Liraglutide - SC	Late local maculopapular reaction	N.P.	Negative	Negative	Positive at delayed 24-hour reading	N.P.	Negative	Positive at immediate reading (at 1/100, 1/10 and 1/1)	N.P.
#5	Men	67	Semaglutide - oral	Anaphylaxis	N.P.	N.P.	N.P.	Negative	N.P.	Negative	N.P.	N.P.

IDT: intradermal test; N.P.: not performed; SC: subcutaneous; SPT: skin prick test.